



# CANAL BLOCK

A Division of Macron Industries Corp.

3562 Nugent Road  
Port Colborne ON L3K 5V5

# Price List

Effective January 1, 2011

Order Desk (905) 734-9094











Fax (905) 734-9144

Toll Free 1-800-230-5511



[sales@canalblock.com](mailto:sales@canalblock.com)



[www.canalblock.com](http://www.canalblock.com)

## Standard Block

DESCRIPTION	10cm	15cm	20cm	25cm	30cm
Standard  <b>Concrete</b> <i>Light Weight</i>	<b>1.68</b> 1.99	<b>2.06</b> 2.61	<b>2.56</b> 3.37	<b>3.24</b> 4.21	<b>3.73</b> 4.82
Ashlar Standard  <b>Concrete</b> <i>Light Weight</i>	<b>1.60</b> 1.85	<b>2.06</b> 2.34	<b>2.46</b> 2.85	<b>3.35</b> 3.85	<b>3.84</b> 4.49
Return Corner (L-Corner)  <b>Concrete</b> <i>Light Weight</i>	<b>2.75</b> 3.30	<b>3.08</b> 3.56		<b>3.87</b> 4.67	<b>4.56</b> 5.31
Semi-Solid (Cap)  <b>Concrete</b> <i>Light Weight</i>			<b>3.53</b> 4.60	<b>4.76</b> 5.97	<b>5.52</b> 6.86
Bond-Beam (Lintel)  <b>Concrete</b> <i>Light Weight</i>		<b>2.75</b> 3.25	<b>3.61</b> 4.25	<b>4.75</b> 5.60	<b>5.66</b> 6.53
Universal Knock-Out or Pier Splitters  <b>Concrete</b> <i>Light Weight</i>		<b>2.70</b> 3.21	<b>3.50</b> 4.15	<b>4.68</b> 5.53	<b>5.47</b> 6.47
Single, Double, Face or Half Bullnose  <b>Concrete</b> <i>Light Weight</i>	<b>2.07</b> 2.37	<b>2.67</b> 3.22	<b>3.48</b> 4.15	<b>4.66</b> 5.50	<b>5.47</b> 6.59
Pier Half  <b>Concrete</b> <i>Light Weight</i>		<b>1.95</b> 2.52	<b>2.47</b> 3.18	<b>3.32</b> 4.07	<b>3.89</b> 4.69
75% Solid  <b>Concrete</b> <i>Light Weight</i>		<b>2.61</b> 3.48	<b>3.97</b> 4.53	<b>5.02</b> 5.95	<b>6.17</b> 7.37
100% Solid  <b>Concrete</b> <i>Light Weight</i>	<b>2.27</b> 2.63	<b>3.35</b> 4.04	<b>4.23</b> 5.15	<b>5.79</b> 6.79	<b>6.84</b> 8.30

<b>Colour Premium</b>	<b>Standard</b> <i>Polar White</i>	<b>0.82</b> 2.24	<b>0.97</b> 2.75	<b>1.15</b> 3.32	<b>1.43</b> 4.16	<b>1.65</b> 4.86
<b>High Strength Premium</b> (\$0.01 per cm per 5 MPa over 15 MPa)	20 MPa 30 MPa	0.10 0.30	0.15 0.45	0.20 0.60	0.25 0.75	0.30 0.90
<b>Water Repellent Extra</b>		0.70	0.74	0.85	1.00	1.20

5cm Solid  <b>Concrete</b> <i>Light Weight</i>	<b>1.74</b> 2.29
Concrete B.U. Brick (per M) 	490.00
Skids (see also note below) <b>Charged Out</b> <i>Refundable At</i>	<b>20.00</b> 18.00

Pilaster (flush-wall and pier)  <b>Concrete</b> <i>Light Weight</i>	<b>8.75</b> 10.45
Chimney Block (per half) 	<b>3.47</b> 4.11
Plastic Wrap (per cube)	3.50 <b>NOV 1 to APR 15</b>




*Slight variances in shading may occur*

- All blocks are manufactured to CSA STANDARD CAN 3-A165-04 and are a minimum of 15 MPa based on net area.
- Skids are the responsibility of the customer and are only refundable when returned in good condition with proof of purchase.

**CANAL BLOCK**

1-800-230-5511

## Architectural Masonry Profiles

DESCRIPTION		10cm	15cm	20cm	25cm	30cm	L/Corner	
Split Face		<b>Natural</b>	<b>2.99</b>	<b>3.63</b>	<b>5.09</b>	<b>5.53</b>	<b>6.33</b>	<b>5.45</b>
		<i>Coloured</i>	3.40	4.10	5.65	6.25	7.20	6.10
		<i>Polar White</i>	5.62	6.39	8.23	9.13	10.09	8.66
2, 3, 4 or 6-Rib Split		<b>Natural</b>	<b>2.99</b>	<b>3.63</b>	<b>5.09</b>	<b>5.53</b>	<b>6.33</b>	<b>5.45</b>
		<i>Coloured</i>	3.40	4.10	5.65	6.25	7.20	6.10
		<i>Polar White</i>	5.62	6.39	8.23	9.13	10.09	8.66
Scored		<b>Natural</b>	<b>2.66</b>	<b>3.18</b>	<b>4.21</b>	<b>5.09</b>	<b>5.77</b>	<b>5.30</b>
		<i>Coloured</i>	3.48	4.15	5.36	6.09	6.97	6.30
		<i>Light Weight</i>	3.47	4.00	5.18	6.40	7.70	6.30

*Slight variances in shading may occur*


## Other Products

Mason Sand, Masonry Cement, Portland Cement, Mortar Mix, Stone Mix, Reinforcing Wire, Anchor Bolts, Brick Ties and Mortar Colour Pigment are also available.

## Terms and Conditions

- Architectural, Coloured, High Strength and Water Repellent block are “made to order” and are subject to the following:
  - Orders require a 20% deposit, as well as a signed purchase order stating the size, type and quantity.
  - **All quantities ordered will be invoiced in full and are not returnable for credit.**
  - A set-up charge of \$2,500 will apply to combined orders of less than 3,000 units.
  - Slight variances in colour from batch to batch may occur. Pricing for specialty colours, e.g. green, blue ... is available upon request. Canal Block does not guarantee uniformity of colours.
- **Product installed and “in place” is considered acceptable to the buyer**
- Terms are Net 30 days (subject to credit approval). Interest charged on overdue accounts at 18% per annum (1.5% per month). Industry discounts only apply when terms are met. Overdue accounts will revert to list prices, plus interest and any other costs.
- Prices listed are based on full load quantities. Delivery charges will apply to anything considered less than a full load. **Driver’s responsibility ends at the curb.**
- Pricing is based on prompt unloading. Any delay will be charged at a rate of \$140.00 for each hour, billed in 15 minute increments.
- All shortages must be reported to the office within 24 hours of delivery.
- Standard block that is returned, in a re-saleable condition, will only be accepted in original full cubes and is subject to a 50% restocking fee. No refunds will be issued for any other products.
- All block units (10cm or larger) are subject to a standard industry levy of \$0.05 (five cents). HST is extra.
- Prices are subject to change without notice.

Canadian Concrete Masonry  
Producers Association  
Region 6 of the National  
Concrete Masonry  
Association





# CANAL BLOCK

A Division of Macron Industries Corp.

3562 Nugent Road  
Port Colborne ON L3K 5V5

# Price List

Effective January 1, 2011

Order Desk (905) 734-9094











Fax (905) 734-9144

Toll Free 1-800-230-5511



[sales@canalblock.com](mailto:sales@canalblock.com)



[www.canalblock.com](http://www.canalblock.com)

## Standard Block

DESCRIPTION	10cm	15cm	20cm	25cm	30cm
Standard  <b>Concrete</b> <i>Light Weight</i>	<b>1.68</b> 1.99	<b>2.06</b> 2.61	<b>2.56</b> 3.37	<b>3.24</b> 4.21	<b>3.73</b> 4.82
Ashlar Standard  <b>Concrete</b> <i>Light Weight</i>	<b>1.60</b> 1.85	<b>2.06</b> 2.34	<b>2.46</b> 2.85	<b>3.35</b> 3.85	<b>3.84</b> 4.49
Return Corner (L-Corner)  <b>Concrete</b> <i>Light Weight</i>	<b>2.75</b> 3.30	<b>3.08</b> 3.56		<b>3.87</b> 4.67	<b>4.56</b> 5.31
Semi-Solid (Cap)  <b>Concrete</b> <i>Light Weight</i>			<b>3.53</b> 4.60	<b>4.76</b> 5.97	<b>5.52</b> 6.86
Bond-Beam (Lintel)  <b>Concrete</b> <i>Light Weight</i>		<b>2.75</b> 3.25	<b>3.61</b> 4.25	<b>4.75</b> 5.60	<b>5.66</b> 6.53
Universal Knock-Out or Pier Splitters  <b>Concrete</b> <i>Light Weight</i>		<b>2.70</b> 3.21	<b>3.50</b> 4.15	<b>4.68</b> 5.53	<b>5.47</b> 6.47
Single, Double, Face or Half Bullnose  <b>Concrete</b> <i>Light Weight</i>	<b>2.07</b> 2.37	<b>2.67</b> 3.22	<b>3.48</b> 4.15	<b>4.66</b> 5.50	<b>5.47</b> 6.59
Pier Half  <b>Concrete</b> <i>Light Weight</i>		<b>1.95</b> 2.52	<b>2.47</b> 3.18	<b>3.32</b> 4.07	<b>3.89</b> 4.69
75% Solid  <b>Concrete</b> <i>Light Weight</i>		<b>2.61</b> 3.48	<b>3.97</b> 4.53	<b>5.02</b> 5.95	<b>6.17</b> 7.37
100% Solid  <b>Concrete</b> <i>Light Weight</i>	<b>2.27</b> 2.63	<b>3.35</b> 4.04	<b>4.23</b> 5.15	<b>5.79</b> 6.79	<b>6.84</b> 8.30

<b>Colour Premium</b>	<b>Standard</b> <i>Polar White</i>	<b>0.82</b> 2.24	<b>0.97</b> 2.75	<b>1.15</b> 3.32	<b>1.43</b> 4.16	<b>1.65</b> 4.86
<b>High Strength Premium</b> (\$0.01 per cm per 5 MPa over 15 MPa)	20 MPa 30 MPa	0.10 0.30	0.15 0.45	0.20 0.60	0.25 0.75	0.30 0.90
<b>Water Repellent Extra</b>		0.70	0.74	0.85	1.00	1.20

5cm Solid  <b>Concrete</b> <i>Light Weight</i>	<b>1.74</b> 2.29
Concrete B.U. Brick (per M) 	490.00
Skids (see also note below) <b>Charged Out</b> <i>Refundable At</i>	<b>20.00</b> 18.00

Pilaster (flush-wall and pier)  <b>Concrete</b> <i>Light Weight</i>	<b>8.75</b> 10.45
Chimney Block (per half)  <b>Concrete</b> <i>Light Weight</i>	<b>3.47</b> 4.11
Plastic Wrap (per cube)	3.50 <b>NOV 1 to APR 15</b>



*Slight variances in shading may occur*

- All blocks are manufactured to CSA STANDARD CAN 3-A165-04 and are a minimum of 15 MPa based on net area.
- Skids are the responsibility of the customer and are only refundable when returned in good condition with proof of purchase.

**CANAL BLOCK**

1-800-230-5511

## Architectural Masonry Profiles

DESCRIPTION		10cm	15cm	20cm	25cm	30cm	L/Corner	
Split Face		<b>Natural</b>	<b>2.99</b>	<b>3.63</b>	<b>5.09</b>	<b>5.53</b>	<b>6.33</b>	<b>5.45</b>
		<i>Coloured</i>	3.40	4.10	5.65	6.25	7.20	6.10
		<i>Polar White</i>	5.62	6.39	8.23	9.13	10.09	8.66
2, 3, 4 or 6-Rib Split		<b>Natural</b>	<b>2.99</b>	<b>3.63</b>	<b>5.09</b>	<b>5.53</b>	<b>6.33</b>	<b>5.45</b>
		<i>Coloured</i>	3.40	4.10	5.65	6.25	7.20	6.10
		<i>Polar White</i>	5.62	6.39	8.23	9.13	10.09	8.66
Scored		<b>Natural</b>	<b>2.66</b>	<b>3.18</b>	<b>4.21</b>	<b>5.09</b>	<b>5.77</b>	<b>5.30</b>
		<i>Coloured</i>	3.48	4.15	5.36	6.09	6.97	6.30
		<i>Light Weight</i>	3.47	4.00	5.18	6.40	7.70	6.30

*Slight variances in shading may occur*

## Other Products

Mason Sand, Masonry Cement, Portland Cement, Mortar Mix, Stone Mix, Reinforcing Wire, Anchor Bolts, Brick Ties and Mortar Colour Pigment are also available.

## Terms and Conditions

- Architectural, Coloured, High Strength and Water Repellent block are “made to order” and are subject to the following:
  - Orders require a 20% deposit, as well as a signed purchase order stating the size, type and quantity.
  - **All quantities ordered will be invoiced in full and are not returnable for credit.**
  - A set-up charge of \$2,500 will apply to combined orders of less than 3,000 units.
  - Slight variances in colour from batch to batch may occur. Pricing for specialty colours, e.g. green, blue ... is available upon request. Canal Block does not guarantee uniformity of colours.
- **Product installed and “in place” is considered acceptable to the buyer**
- Terms are Net 30 days (subject to credit approval). Interest charged on overdue accounts at 18% per annum (1.5% per month). Industry discounts only apply when terms are met. Overdue accounts will revert to list prices, plus interest and any other costs.
- Prices listed are based on full load quantities. Delivery charges will apply to anything considered less than a full load. **Driver’s responsibility ends at the curb.**
- Pricing is based on prompt unloading. Any delay will be charged at a rate of \$140.00 for each hour, billed in 15 minute increments.
- All shortages must be reported to the office within 24 hours of delivery.
- Standard block that is returned, in a re-saleable condition, will only be accepted in original full cubes and is subject to a 50% restocking fee. No refunds will be issued for any other products.
- All block units (10cm or larger) are subject to a standard industry levy of \$0.05 (five cents). HST is extra.
- Prices are subject to change without notice.

Canadian Concrete Masonry  
Producers Association  
Region 6 of the National  
Concrete Masonry  
Association

